

TABLE 1.—Frequencies for 233 nonpatient adults from Peru.

Demography Variables					
Marital Status					
Single	130	56%	Age	18–25	102 44%
Lives w/S.O.	5	2%		26–35	62 27%
Married	58	25%		36–45	29 12%
Separated	5	2%		46–55	21 9%
Divorced	3	1%		56–65	11 5%
Widowed	6	3%		Over 65	4 2%
Unlisted	26	11%			
Sex					
Male	106	45%	Education	Under 12	228 98%
Female	127	55%			
Race					
Hispanic	233	100%			
Ratios, Percentages, and Special Indices					
Styles					
Introversive	85	36%	Form quality deviations		
Pervasive Introversive	62	27%	XA% > .89	62	27%
Ambitient	69	30%	XA% < .70	35	15%
Extratensive	26	11%	WDA% < .85	107	46%
Pervasive Extratensive	17	7%	WDA% < .75	44	19%
Avoidant	53	23%	X+% < .55	132	57%
D Scores					
D Score > 0	32	14%	Xu% > .20	180	77%
D Score = 0	91	39%	X-% > .20	87	37%
D Score < 0	110	47%	X-% > .30	27	12%
D Score < -1	64	27%	FC:CF+C Ratio		
Adj D Score > 0	40	17%	FC > (CF+C) + 2	28	12%
Adj D Score = 0	110	47%	FC > (CF+C) + 1	53	23%
Adj D Score < 0	83	36%	(CF+C) > FC+1	44	19%
Adj D Score < -1	41	18%	(CF+C) > FC+2	24	10%
S-Constellation Positive					
HVI Positive					
OBS Positive					
Zd > +3.0 (Overincorp) 37					
Zd < -3.0 (Underincorp) 90					
PTI = 5	1	0%	DEPI = 7	1	0%
PTI = 4	1	0%	DEPI = 6	14	6%
PTI = 3	13	6%	DEPI = 5	39	17%
CDI = 5					
CDI = 4					
CDI = 3					
Miscellaneous Variables					
R < 17	65	28%	(2AB+Art+Ay) > 5	12	5%
R > 27	46	20%	Populars < 4	52	22%
DQv > 2	44	19%	Populars > 7	25	11%
S > 2	84	36%	COP = 0	150	64%
Sum T = 0	114	49%	COP > 2	17	7%
Sum T > 1	56	24%	AG = 0	174	75%
3r+(2)/R < .33	81	35%	AG > 2	5	2%
3r+(2)/R > .44	83	36%	MOR > 2	27	12%
Fr + rF > 0	69	30%	Level 2 Sp.Sc. > 0	32	14%
PureC > 0	54	23%	GHR > PHR	142	61%
PureC > 1	18	8%	Pure H < 2	96	41%
Afr < .40	67	29%	Pure H = 0	31	13%
Afr < .50	131	56%	p > a+1	63	27%
(FM+m) < Sum Shading	57	24%	Mp > Ma	73	31%

(Ráez, M., 2007)

TABLE 2.—Peruvian nonpatient sample response level interrater reliability statistics ( $n = 15$ ).

Variable	% Agreement	Iota (Kappa)
Whole Responses	.98	.87
Location & Space (2 variables)	.99	.98
DQ (+,o,v/+ ,v)	.89	.80
Determinants (11 variables)	.97	.86
FQ (None,+ ,o,u,-)	.90	.83
Pairs	.98	.96
Contents (27 variables)	.99	.87
P	.97	.91
Z Score	.91	.89
CS Special Scores (14 variables)	.99	.66

*Note.* The 15 cases were scored independently by three judges.

TABLE 3.—Descriptive statistics for 233 nonpatient adults from Peru.

Variable	Mean	SD	Min	Max	Freq	Median	Mode	SK	KU
Age	31.56	12.75	17.00	74.00	233	27.00	21.00	1.29	0.93
Years Ed	4.54	2.30	1.00	9.00	228	4.00	4.00	0.67	-0.623
R	21.73	7.18	14.00	49.00	233	20.00	14.00	1.26	1.44
W	8.79	4.55	0.00	30.00	232	8.00	7.00	1.57	4.23
D	9.66	5.53	0.00	28.00	232	9.00	6.00	0.82	0.50
Dd	3.28	[2.87]	0.00	19.00	208	2.00	2.00	1.64	4.24
S	2.18	[2.10]	0.00	13.00	184	2.00	1.00	1.72	4.65
DQ+	5.88	3.56	0.00	16.00	223	6.00	5.00	0.47	-0.31
DQo	14.36	6.26	4.00	36.00	233	13.00	9.00	1.01	0.83
DQv	1.32	[1.60]	0.00	7.00	130	1.00	0.00	1.27	1.12
DQv/+	0.16	[0.44]	0.00	3.00	31	0.00	0.00	3.17	11.49
FQx+	0.20	0.64	0.00	5.00	30	0.00	0.00	4.28	22.33
FQxo	10.73	3.83	3.00	31.00	233	11.00	12.00	1.01	3.64
FQxu	6.62	3.55	0.00	20.00	231	6.00	4.00	0.81	0.80
FQx-	3.87	3.24	0.00	16.00	209	3.00	2.00	1.34	1.93
FQxNone	0.31	[0.76]	0.00	7.00	51	0.00	0.00	4.42	28.99
MQ+	0.09	0.37	0.00	3.00	14	0.00	0.00	4.98	27.14
MQo	2.46	1.84	0.00	8.00	200	2.00	1.00	0.67	0.13
MQu	0.92	1.20	0.00	7.00	121	1.00	0.00	1.89	5.23
MQ-	0.55	[1.06]	0.00	6.00	73	0.00	0.00	2.53	7.10
MQNone	0.00	[0.07]	0.00	1.00	1	0.00	0.00	15.26	233.00
SQual-	0.57	[1.01]	0.00	6.00	79	0.00	0.00	2.30	6.17
M	4.02	3.04	0.00	16.00	216	3.00	1.00	1.14	1.77
FM	3.98	2.23	0.00	11.00	227	4.00	5.00	0.64	0.41
m	1.51	1.49	0.00	8.00	163	1.00	0.00	1.22	2.02
FC	1.63	1.54	0.00	10.00	172	1.00	1.00	1.37	3.47
CF	1.16	1.18	0.00	6.00	155	1.00	1.00	1.18	1.37
C	0.33	[0.67]	0.00	3.00	54	0.00	0.00	2.15	4.20
Cn	0.06	[0.31]	0.00	3.00	9	0.00	0.00	6.61	49.02
Sum Color	3.17	2.12	0.00	13.00	215	3.00	2.00	0.96	2.03
WSumC	2.47	1.76	0.00	9.50	215	2.00	1.00	0.93	1.22
FC'	1.24	[1.47]	0.00	8.00	136	1.00	0.00	1.59	3.49
C'F	0.17	[0.49]	0.00	3.00	29	0.00	0.00	3.38	12.39
C'	0.06	[0.34]	0.00	3.00	8	0.00	0.00	7.13	55.09
FT	0.78	[1.07]	0.00	6.00	108	0.00	0.00	1.71	3.79
TF	0.06	[0.29]	0.00	2.00	11	0.00	0.00	5.22	28.57
T	0.02	[0.15]	0.00	1.00	5	0.00	0.00	6.64	42.55
FV	0.28	[0.65]	0.00	3.00	46	0.00	0.00	2.61	6.76
VF	0.03	[0.29]	0.00	4.00	4	0.00	0.00	12.31	166.25
V	0.00	[0.07]	0.00	1.00	1	0.00	0.00	15.26	233.00
FY	0.86	[1.40]	0.00	9.00	105	0.00	0.00	2.76	10.12
YF	0.16	[0.51]	0.00	5.00	30	0.00	0.00	5.04	37.26
Y	0.03	[0.17]	0.00	1.00	7	0.00	0.00	5.54	28.96
Fr	0.47	[0.90]	0.00	5.00	65	0.00	0.00	2.11	4.47
rF	0.11	[0.52]	0.00	5.00	14	0.00	0.00	6.02	42.74
Sum C'	1.46	[1.64]	0.00	8.00	146	1.00	0.00	1.33	1.86
Sum T	0.86	[1.09]	0.00	6.00	119	1.00	0.00	1.56	3.13
Sum V	0.32	[0.76]	0.00	6.00	49	0.00	0.00	3.44	16.31
Sum Y	1.06	[1.58]	0.00	12.00	122	1.00	0.00	3.09	14.35
Sum Shading	3.70	3.17	0.00	18.00	202	3.00	2.00	1.34	2.48
Fr+rF	0.58	[1.14]	0.00	6.00	69	0.00	0.00	2.49	7.06
FD	1.21	[1.36]	0.00	7.00	143	1.00	0.00	1.30	1.61
F	8.27	5.02	0.00	29.00	232	7.00	6.00	1.42	2.71
(2)	6.82	3.36	0.00	18.00	231	7.00	7.00	0.33	-0.15
3r+(2)/R	0.40	0.18	0.06	1.07	233	0.38	0.50	0.74	1.28
Lambda	0.75	0.65	0.00	5.00	232	0.59	0.75	2.61	10.40
PureF%	0.37	0.16	0.00	0.83	232	0.37	0.43	0.30	-0.32
FM+m	5.49	2.79	0.00	14.00	231	5.00	4.00	0.69	0.34
EA	6.49	3.48	0.00	18.50	229	6.00	5.00	0.60	0.50
es	9.19	4.72	0.00	32.00	232	8.00	6.00	1.13	2.06
D Score	-0.79	1.62	-8.00	5.00	142	0.00	0.00	-0.69	2.34
AdjD	-0.37	1.39	-6.00	5.00	123	0.00	0.00	-0.30	2.84
a (active)	5.06	3.11	0.00	16.00	232	4.00	3.00	1.00	1.02
p (passive)	4.49	2.71	0.00	15.00	224	4.00	3.00	0.78	0.68
Ma	2.25	2.05	0.00	9.00	187	2.00	1.00	1.08	0.78
Mp	1.79	1.70	0.00	10.00	177	1.00	1.00	1.29	2.28
Intellect	1.76	1.97	0.00	11.00	151	1.00	0.00	1.48	2.84
Afr	0.50	0.18	0.07	1.25	233	0.46	0.50	1.16	2.03
Populars	5.09	2.01	0.00	9.00	229	5.00	6.00	-0.22	-0.20
XA%	0.82	0.12	0.21	1.00	233	0.83	0.86	-0.83	2.24
WDA%	0.84	0.11	0.27	1.00	233	0.86	1.00	-0.95	2.21

(Continued on next page)

## (Ráez, M., 2007)

TABLE 3.—Descriptive statistics for 233 nonpatient adults from Peru.  
(Continued)

Variable	Mean	SD	Min	Max	Freq	Median	Mode	SK	KU
X+%	0.52	0.14	0.18	0.86	233	0.52	0.50	0.00	-0.42
X-%	0.17	0.11	0.00	0.79	209	0.16	0.00	0.91	2.70
Xu%	0.30	0.12	0.00	0.67	231	0.29	0.38	0.18	-0.02
Isolate/R	0.19	0.15	0.00	1.06	213	0.15	0.00	1.53	4.56
H	2.57	2.21	0.00	12.00	202	2.00	1.00	1.29	2.09
(H)	1.39	1.42	0.00	7.00	159	1.00	0.00	1.23	1.51
HD	1.40	1.50	0.00	9.00	160	1.00	1.00	1.66	3.79
(Hd)	0.87	1.19	0.00	6.00	114	0.00	0.00	1.77	3.72
Hx	0.58	[1.04]	0.00	6.00	82	0.00	0.00	2.52	7.81
H+(H)+Hd+(Hd)	6.23	3.83	0.00	20.00	228	6.00	4.00	0.82	0.56
(H)+Hd+(Hd)	3.66	2.74	0.00	13.00	216	3.00	3.00	1.09	1.02
A	7.81	3.36	2.00	21.00	233	8.00	6.00	0.82	1.37
(A)	0.43	[0.76]	0.00	4.00	71	0.00	0.00	2.16	5.22
Ad	2.39	[2.00]	0.00	12.00	203	2.00	1.00	1.34	2.53
(Ad)	0.12	[0.36]	0.00	2.00	25	0.00	0.00	3.13	9.82
An	1.36	[1.61]	0.00	9.00	147	1.00	0.00	1.81	4.26
Art	0.80	1.13	0.00	6.00	111	0.00	0.00	1.90	4.38
Ay	0.49	[0.79]	0.00	4.00	82	0.00	0.00	1.84	3.64
Bl	0.24	[0.61]	0.00	4.00	39	0.00	0.00	3.02	10.34
Bt	1.31	1.31	0.00	7.00	161	1.00	1.00	1.32	2.19
Cg	1.73	1.56	0.00	8.00	179	1.00	1.00	1.12	1.34
Cl	0.17	[0.46]	0.00	3.00	32	0.00	0.00	3.07	10.48
Ex	0.15	[0.37]	0.00	2.00	33	0.00	0.00	2.28	4.11
Fi	0.49	[0.77]	0.00	4.00	84	0.00	0.00	1.67	2.78
Food	0.28	[0.65]	0.00	6.00	50	0.00	0.00	4.14	27.80
Ge	0.09	[0.30]	0.00	2.00	20	0.00	0.00	3.34	11.04
Hh	0.93	1.01	0.00	6.00	139	1.00	0.00	1.32	2.52
Ls	1.01	1.28	0.00	6.00	127	1.00	0.00	1.62	2.69
Na	0.63	[1.00]	0.00	5.00	84	0.00	0.00	1.71	2.65
Sc	1.12	[1.43]	0.00	9.00	137	1.00	0.00	2.06	5.93
Sx	0.46	[0.97]	0.00	8.00	65	0.00	0.00	3.53	18.66
Xy	0.09	[0.31]	0.00	2.00	18	0.00	0.00	3.81	15.20
Idiographic	1.09	1.56	0.00	11.00	126	1.00	0.00	2.73	10.82
An+Xy	1.45	[1.69]	0.00	9.00	148	1.00	0.00	1.64	3.27
DV	0.20	[0.67]	0.00	5.00	30	0.00	0.00	4.83	27.36
INCOM	0.53	[1.02]	0.00	5.00	71	0.00	0.00	2.43	6.16
DR	0.51	[1.28]	0.00	14.00	58	0.00	0.00	5.90	53.56
FABCOM	0.39	[0.79]	0.00	5.00	64	0.00	0.00	2.83	10.04
DV2	0.01	[0.13]	0.00	2.00	1	0.00	0.00	15.26233.00	
INC2	0.09	[0.37]	0.00	3.00	14	0.00	0.00	4.98	27.14
DR2	0.10	[0.45]	0.00	3.00	14	0.00	0.00	4.92	25.17
FAB2	0.05	[0.23]	0.00	2.00	10	0.00	0.00	5.29	30.52
ALOG	0.04	[0.23]	0.00	2.00	7	0.00	0.00	6.66	47.33
CONTAM	0.01	[0.09]	0.00	1.00	2	0.00	0.00	10.72113.97	
Sum 6 Sp Sc	1.92	2.54	0.00	17.00	152	1.00	0.00	2.59	9.43
Lvl 2 Sp Sc	0.25	[0.73]	0.00	5.00	32	0.00	0.00	3.63	14.56
WSum6	5.90	8.59	0.00	58.00	152	4.00	0.00	2.94	11.10
AB	0.23	[0.58]	0.00	4.00	40	0.00	0.00	3.16	11.98
AG	0.34	0.68	0.00	4.00	59	0.00	0.00	2.41	6.66
COP	0.60	1.03	0.00	6.00	83	0.00	0.00	2.23	5.62
CP	0.00	[0.07]	0.00	1.00	1	0.00	0.00	15.26233.00	
Good HR	4.27	2.75	0.00	13.00	221	4.00	4.00	0.83	0.61
Poor HR	2.70	2.38	0.00	13.00	198	2.00	1.00	1.22	1.60
MOR	0.99	[1.31]	0.00	6.00	119	1.00	0.00	1.60	2.59
PER	0.43	0.99	0.00	7.00	55	0.00	0.00	3.37	14.09
PSV	0.26	[0.82]	0.00	7.00	35	0.00	0.00	4.92	31.05
PTI Total	0.48	0.92	0.00	5.00	65	0.00	0.00	2.12	4.26
DEPI Total	3.54	1.24	0.00	7.00	231	3.00	3.00	0.15	-0.17
CDI Total	3.26	1.18	0.00	5.00	231	3.00	4.00	-0.32	-0.57
SCon Total	4.66	1.53	1.00	9.00	233	5.00	5.00	0.22	-0.20
HVI Total	2.74	1.72	0.00	7.00	218	2.00	2.00	0.43	-0.64
OBS Total (1-5)	1.04	0.87	0.00	4.00	163	1.00	1.00	0.51	-0.24
WD+	0.18	0.58	0.00	4.00	28	0.00	0.00	4.20	20.39
WDo	10.16	3.55	3.00	24.00	233	10.00	12.00	0.67	1.86
WDu	5.04	2.88	0.00	20.00	228	5.00	3.00	1.38	4.57
WD-	2.77	2.54	0.00	13.00	195	2.00	2.00	1.58	3.24
WDNone	0.29	0.74	0.00	7.00	47	0.00	0.00	4.65	31.97
EII-2	-0.34	1.02	-2.83	4.83	233	-0.51	-0.77	0.99	2.76
HRV	1.57	3.18	-10.00	11.00	199	1.00	0.00	0.32	0.83